Jean-Marie Dufour
March 2010
Compiled: February 10, 2014

ADVANCED ECONOMETRIC THEORY
EXERCISES 14

PREDICTION AND RESIDUALS

1. Exercise 11.1 in Gouriéroux and Monfort (1995, chap. 11).

2. Exercise 11.7 in Gouriéroux and Monfort (1995, chap. 11).

3. Let
$$Y_i = x_i'\beta + u_i\,, \quad i = 1, \ldots, n+1$$
where all the hypotheses of the classical linear model are satisfied. If $\hat{\beta}_n$ is the ordinary least squares estimator of β based on $Y_1, \ldots, Y_n$, show that
$$\hat{Y}_{n+1} = x_{n+1}'\hat{\beta}_n \text{ and } \hat{e}_{n+1} = Y_{n+1} - \hat{Y}_{n+1}$$
are correlated.

4. Explain the difference between:

   (a) generalized residuals,

   (b) simulated residuals;

   (c) two-stage simulated residuals.

5. Consider the nonlinear regression model:
$$\begin{aligned} Y_t &= f(x_t;\theta) + u_t\,, \quad t = 1, \ldots, T+h,\ h \geq 1 \\ u_t &= \rho u_{t-1} + \varepsilon_t\,,\ |\rho| < 1 \end{aligned}$$
where x_t is fixed and ε_t is a random disturbance independent of$u_{t-1}, u_{t-2}, \ldots$, such that $\mathsf{E}(\varepsilon_t) = 0$.

   (a) Assuming that θ and ρ are known, compute the prediction of Y_{t+h} (in the mean-square error sense) based on $Y_1, \ldots, Y_T$.

   (b) If θ and ρ are unknown, how would you predict Y_{t+h}?

6. Consider a PROBIT model with the latent variable

$$Y_i^* = x_i' \theta + u_i\,, \quad i = 1, \ldots, n\,,$$

where $x_1, \ldots, x_n$ are fixed and $u_1, \ldots, u_n$ are independent $N(0, 1)$ random variables. Find the generalized residuals for this model.

References

GOURIÉROUX, C., AND A. MONFORT (1995): *Statistics and Econometric Models, Volumes One and Two*. Cambridge University Press, Cambridge, U.K., Translated by Quang Vuong.